



DARCO® Plate

2015 Reimbursement Codes

The following codes contained within this document are representative of possible services or diagnoses that may be associated with use of Wright products. This is not a complete listing of possible codes. Not all of the codes are necessarily to be used together. Some codes may be considered a component of another ('bundled'). Final determination of the correct or appropriate coding for services performed are made by the claims submitter/provider and should be consistent with the billing policies of the patient's health insurance program. CPT® codes and descriptors are copyrighted by the American Medical Association (AMA). CPT® is a registered trademark of the American Medical Association.

For further information, visit www.wmt.com/codeitwright



HCPCS Device Codes

HCPCS codes are developed and maintained by CMS and are used to report items such as medical devices, implants, drugs and supplies. C-codes are a special type of HCPCS code designed specifically for hospital use in billing Medicare for certain outpatient items and procedures. Other payers may also accept C-codes. S codes are used by private insurers to report drugs, services, and supplies for which there are no national codes but for which codes are needed by the private sector to implement policies, programs, or claims processing. They are for the purpose of meeting the particular needs of the private sector.

Not all implanted items have a specific HCPCS code. If desired, a miscellaneous HCPCS code can be used.

| HCPCS Code | Description |
|------------|---|
| C1713 | Anchor/Screw for opposing bone-to-bone or soft tissue-to-bone (implantable) |

Reference: "List of Device Category Codes for Present or Previous Pass-Through Payment and Related Definitions", January 2015

CPT® Codes

Codes for internal or external fixation are to be used only when internal or external fixation is not already listed as part of the basic procedure.

Physician Coding

Resource based relative value scale (RBRVS) is the prospective payment system Medicare uses to reimburse physicians. Each service has relative value units (RVUs) that indicate its rank compared to all other services in terms of the relative costs of the resources required, including physician work, practice expenses, and malpractice insurance. The RVU is converted to a flat payment amount using a standardized conversion factor.

Different sites of services have different RVUs and payment:

- Facility RVUs represent surgical services provided in hospitals, ambulatory surgical centers, or skilled nursing facilities.
- Non-Facility RVUs represent surgical services provided in physician's offices.
- RVUs and payments are usually lower in the Facility setting because the facility is incurring some of the costs. RVUs and payments are usually higher in the Non-Facility setting because the physician incurs all costs there and the physician must be reimbursed for those costs.

"NA" indicates that the Non-Facility RVUs do not exist because the service is expected to be performed in a facility.

"UNL" indicates the CPT code as unlisted, and therefore non-facility or facility RVUs cannot be calculated.

| CPT® CODE | Description | Facility | | Non-Facility | |
|-----------|---|----------|--------------------------|--------------|--------------------------|
| | | RVUs | Medicare Average Payment | RVUs | Medicare Average Payment |
| 27792 | Open treatment of distal fibular fracture (lateral malleolus), includes internal fixation, when performed | 18.68 | \$668 | NA | NA |
| 27814 | Open treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli, or medial and posterior malleoli), includes internal fixation, when performed | 22.09 | \$790 | NA | NA |
| 27822 | Open treatment of trimalleolar ankle fracture, includes internal fixation, when performed, medial and/or lateral malleolus; without fixation of posterior lip | 24.03 | \$860 | NA | NA |
| 27823 | Open treatment of trimalleolar ankle fracture, includes internal fixation, when performed, medial and/or lateral malleolus; with fixation of posterior lip | 27.36 | \$979 | NA | NA |
| 27826 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of fibula only | 23.80 | \$852 | NA | NA |
| 27827 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of tibia only | 30.93 | \$1,107 | NA | NA |

| CPT® CODE | Description | Facility | | Non-Facility | |
|--------------|--|----------|--------------------------------|--------------|--------------------------------|
| | | RVUs | Medicare Average Payment | RVUs | Medicare Average Payment |
| 27828 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of both tibia and fibula | 37.06 | \$1,326 | NA | |
| 27829 | Open treatment of distal tibiofibular joint (syndesmosis) disruption, includes internal fixation, when performed | 19.56 | \$700 | NA | NA |
| 27870 | Arthrodesis, ankle, open | 29.53 | 1057 | NA | NA |
| 27871 | Arthrodesis, tibiofibular joint, proximal or distal | 19.58 | 700 | NA | NA |
| 28296 | Correction, hallux valgus (bunion), with or without sesamoidectomy; with metatarsal osteotomy (eg, Mitchell, Chevron, or concentric type procedures) | 14.94 | \$534 | 20.53 | \$735 |
| 28297 | Correction, hallux valgus (bunion), with or without sesamoidectomy; Lapidus-type procedure | 16.66 | \$596 | 23.35 | \$835 |
| 28300 | Osteotomy; calcaneus (eg, Dwyer or Chambers type procedure), with or without internal fixation | 18.71 | \$669 | NA | NA |
| 28306 | Osteotomy, with or without lengthening, shortening or angular correction, metatarsal; first metatarsal | 11.57 | \$414 | 17.68 | \$632 |
| 28308 | Osteotomy, with or without lengthening, shortening or angular correction, metatarsal; other than first metatarsal, each | 10.79 | \$386 | 16.28 | \$582 |
| 28415 | Open treatment of calcaneal fracture, includes internal fixation, when performed | 31.69 | \$1,134 | NA | NA |
| 28445 | Open treatment of talus fracture, includes internal fixation, when performed | 30.57 | \$1,094 | NA | NA |
| 28465 | Open treatment of tarsal bone fracture (except talus and calcaneus), includes internal fixation, when performed, each | 17.66 | \$632 | NA | NA |
| 28485 | Open treatment of metatarsal fracture, includes internal fixation, when performed, each | 15.07 | \$539 | NA | NA |
| 28505 | Open treatment of fracture, great toe, phalanx or phalanges, includes internal fixation, when performed | 14.47 | \$518 | 19.42 | \$695 |
| 28705 | Arthrodesis; pantalar | 36.02 | \$1,290 | NA | NA |
| 28715 | Arthrodesis; triple | 26.89 | \$962 | NA | NA |
| 28725 | Arthrodesis; subtalar | 22.26 | \$796 | NA | NA |
| 28730 | Arthrodesis, midtarsal or tarsometatarsal, multiple or transverse | 20.93 | \$749 | NA | NA |
| 28735 | Arthrodesis, midtarsal or tarsometatarsal, multiple or transverse; with osteotomy (eg, flatfoot correction) | 22.39 | \$801 | NA | NA |
| 28737 | Arthrodesis, with tendon lengthening and advancement, midtarsal, tarsal navicular-cuneiform (eg, Miller type procedure) | 19.85 | \$710 | NA | NA |
| 28740 | Arthrodesis, midtarsal or tarsometatarsal, single joint | 17.85 | \$639 | 24.35 | \$871 |
| 28750 | Arthrodesis, great toe; metatarsophalangeal joint | 16.98 | \$607 | 23.48 | \$872 |
| 28760 | Arthrodesis, with extensor hallucis longus transfer to first metatarsal neck, great toe, interphalangeal joint (eg, Jones type procedure) | 16.59 | \$593 | 22.78 | \$815 |
| 28899 | Unlisted procedure, foot or toes | UNL | UNL | UNL | UNL |

Reference: Medicare Program; Payment Policies Under the Physician Fee Schedule and Other Revisions to Part B for CY 2014 Final Rule, Addendum B: CY 2015 Relative Value Units (RVUs) and related information used in determining final Medicare payments.

See also: <http://www.cms.gov/apps/physician-fee-schedule/search/search-criteria.aspx>

2015 Medicare Physician Fee Schedule (MPFS) Conversion Factor: The CY 2015 MPFS conversion factor is \$35.8013 for January 1, 2015 through March 31, 2015--as a result of Congress passing a "fix" to the sustainable growth rate (SGR) in April 2014. The "fix" provided for a zero percent update for services furnished between January 1 and March 31, 2015.

Hospital Outpatient Coding (APCs)

Ambulatory payment classifications (APCs) is the prospective payment system Medicare uses to reimburse hospitals for outpatient services. Each CPT code for a significant procedure is assigned to a specific APC class based on clinical and resource similarities. Each APC has a relative weight that indicates its rank compared to all other procedures in terms of the relative costs. The relative weight is then converted to a flat payment amount using a standardized conversion factor.

Multiple APCs can be assigned for the same case if multiple procedures are performed. The status indicator (SI) signifies how a code is handled for payment. Specifically, status indicator T means that the code pays at 100% of the rate when it is the only procedure or is the highest-weighted procedure, but pays at 50% of the rate when it is submitted with another higher-weighted procedure. Status indicator J1 will trigger a comprehensive APC payment for the claim, meaning a single APC will be paid while all other items and services on the same date of service will no longer generate separate payment

For Medicare, with a few exceptions, the APC payment for the procedure code is considered complete. In general, separate payment is not made for implanted devices. Instead, payment for implants used in the procedure is included in the payment for the procedure. However, private payers may have carve-outs for implants.

| CPT® Code | Description | APC | APC Title | SI | Relative Weight | Average Payment |
|-----------|---|------|--|----|-----------------|-----------------|
| 27792 | Open treatment of distal fibular fracture (lateral malleolus), includes internal fixation, when performed | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |
| 27814 | Open treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli, or medial and posterior malleoli), includes internal fixation, when performed | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |
| 27822 | Open treatment of trimalleolar ankle fracture, includes internal fixation, when performed, medial and/or lateral malleolus; without fixation of posterior lip | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |
| 27823 | Open treatment of trimalleolar ankle fracture, includes internal fixation, when performed, medial and/or lateral malleolus; with fixation of posterior lip | 0064 | Level III Treatment Fracture/ Dislocation | T | 75.0875 | \$5,567 |
| 27826 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of fibula only | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |
| 27827 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of tibia only | 0064 | Level III Treatment Fracture/ Dislocation | T | 75.0875 | \$5,567 |
| 27828 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of both tibia and fibula | 0064 | Level III Treatment Fracture/ Dislocation | T | 75.0875 | \$5,567 |
| 27829 | Open treatment of distal tibiofibular joint (syndesmosis) disruption, includes internal fixation, when performed | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |
| 27870 | Arthrodesis, ankle, open | 0052 | Level IV Musculoskeletal Procedures Except Hand and Foot | T | 85.2438 | \$6,320 |
| 27871 | Arthrodesis, tibiofibular joint, proximal or distal | 0052 | Level IV Musculoskeletal Procedures Except Hand and Foot | T | 85.2438 | \$6,320 |
| 28296 | Correction, hallux valgus (bunion), with or without sesamoidectomy; with metatarsal osteotomy (eg, Mitchell, Chevron, or concentric type procedures) | 0057 | Bunion Procedures | T | 36.0840 | \$2,675 |
| 28297 | Correction, hallux valgus (bunion), with or without sesamoidectomy; Lapidus-type procedure | 0057 | Bunion Procedures | T | 36.0840 | \$2,675 |
| 28300 | Osteotomy, calcaneus (eg, Dwyer or Chambers type procedure), with or without internal fixation | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28306 | Osteotomy, with or without lengthening, shortening or angular correction, metatarsal; first metatarsal | 0055 | Level I Foot Musculoskeletal Procedures | T | 23.5061 | \$1,743 |
| 28308 | Osteotomy, with or without lengthening, shortening or angular correction, metatarsal; other than first metatarsal, each | 0055 | Level I Foot Musculoskeletal Procedures | T | 23.5061 | \$1,743 |
| 28415 | Open treatment of calcaneal fracture, includes internal fixation, when performed | 0064 | Level III Treatment Fracture/ Dislocation | T | 75.0875 | \$5,567 |
| 28445 | Open treatment of talus fracture, includes internal fixation, when performed | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |
| 28465 | Open treatment of tarsal bone fracture (except talus and calcaneus), includes internal fixation, when performed, each | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |
| 28485 | Open treatment of metatarsal fracture, includes internal fixation, when performed, each | 0063 | Level II Treatment Fracture/ Dislocation | T | 57.0073 | \$4,227 |

| CPT® Code | Description | APC | APC Title | SI | Relative Weight | Average Payment |
|-----------|---|------|---|----|-----------------|-----------------|
| 28505 | Open treatment of fracture, great toe, phalanx or phalanges, includes internal fixation, when performed | 0062 | Level I Treatment Fracture/ Dislocation | T | 27.5390 | \$2,042 |
| 28705 | Arthrodesis; pantalar | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28715 | Arthrodesis; triple | 0425 | Level V Musculoskeletal Procedures Except Hand and Foot | J1 | 137.8399 | \$10,220 |
| 28725 | Arthrodesis; subtalar | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28730 | Arthrodesis, midtarsal or tarsometatarsal, multiple or transverse | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28735 | Arthrodesis, midtarsal or tarsometatarsal, multiple or transverse; with osteotomy (eg, flatfoot correction) | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28737 | Arthrodesis, with tendon lengthening and advancement, midtarsal, tarsal navicular-cuneiform (eg, Miller type procedure) | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28740 | Arthrodesis, midtarsal or tarsometatarsal, single joint | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28750 | Arthrodesis, great toe; metatarsophalangeal joint | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28760 | Arthrodesis, with extensor hallucis longus transfer to first metatarsal neck, great toe, interphalangeal joint (eg, Jones type procedure) | 0056 | Level II Foot Musculoskeletal Procedures | T | 70.3645 | \$5,217 |
| 28899 | Unlisted procedure, foot or toes | 0129 | Level I Closed Treatment Fracture | T | 2.2797 | \$169 |

Reference: Medicare Program: Hospital Outpatient Prospective Payment System Final Rule Addendum C - Final HCPCS Codes Payable Under the 2015 OPPS by APC

Ambulatory Surgery Center (ASC) Coding

Medicare's prospective payment system for ASCs is based on the systems used for hospital outpatient services and physician office-based procedures. Each CPT code for an ASC-covered procedure is assigned a relative weight and flat payment amount which is then adjusted for the ASC setting.

Multiple procedures can be paid for the same case if multiple codes are submitted. The payment indicator (PI) signifies how a code is handled for payment. Specifically, payment indicator A2 means a surgical procedure whose payment is based on the hospital outpatient rate. Payment indicator J8 indicates Device-intensive procedure; paid at adjusted rate. When the Multiple Procedure Discount is Yes, it indicates that the code pays at 100% of the rate when it is the only procedure or is the highest-weighted procedure, but pays at 50% of the rate when it is submitted with another higher-weighted procedure.

For Medicare, with a few exceptions, the ASC payment for the procedure code is considered complete. In general, separate payment is not made for implanted devices. Instead, payment for implants used in the procedure is included in the payment for the procedure. However, private payers may have carve-outs for implants.

| CPT® Code | Description | PI | Multi-Procedure Discounting? | Relative Weight | Medicare Average Payment |
|-----------|---|----|------------------------------|-----------------|--------------------------|
| 27792 | Open treatment of distal fibular fracture (lateral malleolus), includes internal fixation, when performed | A2 | Y | 52.5892 | \$2,318 |
| 27814 | Open treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli, or medial and posterior malleoli), includes internal fixation, when performed | A2 | Y | 52.5892 | \$2,318 |
| 27822 | Open treatment of trimalleolar ankle fracture, includes internal fixation, when performed, medial and/or lateral malleolus; without fixation of posterior lip | A2 | Y | 52.5892 | \$2,318 |
| 27823 | Open treatment of trimalleolar ankle fracture, includes internal fixation, when performed, medial and/or lateral malleolus; with fixation of posterior lip | J8 | Y | 93.9112 | \$4,139 |
| 27826 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of fibula only | A2 | Y | 52.5892 | \$2,318 |
| 27827 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of tibia only | J8 | Y | 93.9112 | \$4,139 |
| 27828 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon or tibial plafond), with internal fixation, when performed; of both tibia and fibula | J8 | Y | 93.9112 | \$4,139 |
| 27829 | Open treatment of distal tibiofibular joint (syndesmosis) disruption, includes internal fixation, when performed | A2 | Y | 52.5892 | \$2,318 |
| 27870 | Arthrodesis, ankle, open | A2 | Y | 78.6374 | \$3,466 |

| CPT® Code | Description | PI | Multi-Procedure Discounting? | Relative Weight | Medicare Average Payment |
|-----------|--|----|------------------------------|-----------------|--------------------------|
| 27871 | Arthrodesis, tibiofibular joint, proximal or distal | A2 | Y | 78.6374 | \$3,466 |
| 28296 | Correction, hallux valgus (bunion), with or without sesamoidectomy; with metatarsal osteotomy (eg, Mitchell, Chevron, or concentric type procedures) | A2 | Y | 33.2875 | \$1,467 |
| 28297 | Correction, hallux valgus (bunion), with or without sesamoidectomy; Lapidus-type procedure | A2 | Y | 33.2875 | \$1,467 |
| 28300 | Osteotomy; calcaneus (eg, Dwyer or Chambers type procedure), with or without internal fixation | A2 | Y | 64.9113 | \$2,861 |
| 28306 | Osteotomy, with or without lengthening, shortening or angular correction, metatarsal; first metatarsal | A2 | Y | 21.6844 | \$956 |
| 28308 | Osteotomy, with or without lengthening, shortening or angular correction, metatarsal; other than first metatarsal, each | A2 | Y | 21.6844 | \$956 |
| 28415 | Open treatment of calcaneal fracture, includes internal fixation, when performed | J8 | Y | 93.9112 | \$4,139 |
| 28445 | Open treatment of talus fracture, includes internal fixation, when performed | A2 | Y | 52.5892 | \$2,318 |
| 28465 | Open treatment of tarsal bone fracture (except talus and calcaneus), includes internal fixation, when performed, each | A2 | Y | 52.5892 | \$2,318 |
| 28485 | Open treatment of metatarsal fracture, includes internal fixation, when performed, each | A2 | Y | 52.5892 | \$2,318 |
| 28505 | Open treatment of fracture, great toe, phalanx or phalanges, includes internal fixation, when performed | A2 | Y | 25.4047 | \$1,120 |
| 28705 | Arthrodesis; pantalar | A2 | Y | 64.9113 | \$2,861 |
| 28715 | Arthrodesis; triple | J8 | N | 177.9456 | \$7,842 |
| 28725 | Arthrodesis; subtalar | A2 | Y | 64.9113 | \$2,861 |
| 28730 | Arthrodesis, midtarsal or tarsometatarsal, multiple or transverse | A2 | Y | 64.9113 | \$2,861 |
| 28735 | Arthrodesis, midtarsal or tarsometatarsal, multiple or transverse; with osteotomy (eg, flatfoot correction) | A2 | Y | 64.9113 | \$2,861 |
| 28737 | Arthrodesis, with tendon lengthening and advancement, midtarsal, tarsal navicular-cuneiform (eg, Miller type procedure) | A2 | Y | 64.9113 | \$2,861 |
| 28740 | Arthrodesis, midtarsal or tarsometatarsal, single joint | A2 | Y | 64.9113 | \$2,861 |
| 28750 | Arthrodesis, great toe; metatarsophalangeal joint | A2 | Y | 64.9113 | \$2,861 |
| 28760 | Arthrodesis, with extensor hallucis longus transfer to first metatarsal neck, great toe, interphalangeal joint (eg, Jones type procedure) | A2 | Y | 64.9113 | \$2,861 |
| 28899 | Unlisted procedure, foot or toes | NA | NA | NA | NA |

Reference: Medicare Program: Hospital Outpatient Prospective Payment and Ambulatory Surgical Center Payment Final Rule, Addendum AA -- Final ASC Covered Surgical Procedures for CY 2015 (Including Surgical Procedures for Which Payment is Packaged), Addendum EE -- Surgical Procedures Proposed to be Excluded from Payment in ASCs for CY 2015

ICD-9-CM Diagnosis Codes

ICD-9-CM diagnosis codes are used by all providers, including physicians, hospitals and ASCs, and in all settings, including inpatient and outpatient. Diagnosis codes indicate the reason for the procedure and are mandatory for reimbursement. The codes shown below are those that are common with procedures using DARCO® devices though other codes may also be appropriate. The ICD-9-CM book should always be referenced for diagnostic coding.

| ICD-9-CM Diagnosis | Description |
|--------------------|---|
| 711.07 | Pyogenic arthritis, ankle and foot |
| 711.67 | Arthropathy associated with mycoses, ankle and foot |
| 712.17 | Chondrocalcinosis, due to dicalcium phosphate crystals, ankle and foot |
| 712.27 | Chondrocalcinosis, due to pyrophosphate crystals, ankle and foot |
| 713.5 | Arthropathy associated with neurological disorders |
| 714.0 | Rheumatoid arthritis |
| 715.17 | Osteoarthritis, localized, primary, ankle and foot |
| 715.27 | Osteoarthritis, localized, secondary, ankle and foot |
| 715.37 | Osteoarthritis, localized, not specified whether primary or secondary, ankle and foot |

| ICD-9-CM Diagnosis | Description |
|--------------------|---|
| 715.89 | Osteoarthritis involving, or with mention of more than one site, but not specified as generalized, multiple sites |
| 715.97 | Osteoarthritis, unspecified whether generalized or localized, ankle and foot |
| 716.17 | Traumatic arthropathy, ankle and foot |
| 718.36 | Recurrent dislocation of joint, lower leg |
| 718.47 | Contracture of joint, ankle and foot |
| 718.77 | Developmental dislocation of joint, ankle and foot |
| 718.87 | Other joint derangement, not elsewhere classified, ankle and foot |
| 718.97 | Unspecified derangement of joint, ankle and foot |
| 719.47 | Pain in joint, ankle and foot |

| ICD-9-CM Diagnosis | Description |
|--------------------|--|
| 719.87 | Other specified disorders of joint, ankle and foot |
| 726.91 | Exostosis of unspecified site |
| 727.1 | Bunion |
| 730.17 | Chronic osteomyelitis, ankle and foot |
| 731.3 | Major osseous defects |
| 733.16 | Pathologic fracture of tibia or fibula |
| 733.19 | Pathologic fracture of other specified site |
| 733.44 | Aseptic necrosis of talus |
| 733.81 | Malunion of fracture |
| 733.82 | Nonunion of fracture |
| 733.91 | Arrest of bone development or growth |
| 733.93 | Stress fracture of tibia or fibula |
| 733.94 | Stress fracture of metatarsals |
| 733.95 | Stress fracture of other bone |
| 733.99 | Other disorders of bone and cartilage |
| 734 | Flat foot |
| 735.0 | Hallux valgus (acquired) |
| 735.1 | Hallux varus (acquired) |
| 735.2 | Hallux rigidus |
| 735.3 | Hallux malleus |
| 735.4 | Other hammer toe (acquired) |
| 735.5 | Claw toe (acquired) |
| 735.8 | Other acquired deformities of toe |
| 736.70 | Unspecified deformity of ankle and foot, acquired |
| 736.71 | Acquired equinovarus deformity |
| 736.72 | Equinus deformity of foot, acquired |
| 736.73 | Cavus deformity of foot, acquired |
| 736.74 | Claw foot, acquired |
| 736.75 | Cavovarus deformity of foot, acquired |
| 736.76 | Other acquired calcaneus deformity |
| 736.79 | Other acquired deformities of ankle and foot |
| 738.05 | Closed dislocation of metatarsophalangeal (joint) |
| 738.15 | Open dislocation of metatarsophalangeal (joint) |
| 738.9 | Acquired deformity of unspecified site |
| 754.50 | Talipes varus |
| 754.51 | Talipes equinovarus |
| 754.52 | Metatarsus primus varus |
| 754.53 | Metatarsus varus |
| 754.59 | Other varus deformities of feet |
| 754.60 | Talipes valgus |
| 754.61 | Congenital pes planus |
| 754.62 | Talipes calcaneovalgus |
| 754.69 | Other valgus deformities of feet |
| 754.70 | Talipes, unspecified |

| ICD-9-CM Diagnosis | Description |
|--------------------|---|
| 754.71 | Talipes cavus |
| 754.89 | Other specified nonteratogenic anomalies |
| 755.38 | Longitudinal deficiency, tarsals or metatarsals, complete or partial (with or without incomplete phalangeal deficiency) |
| 755.66 | Other specified congenital deformities of toes |
| 755.67 | Congenital anomalies of foot, not elsewhere classified |
| 823.82 | Closed fracture of unspecified part of fibula with tibia |
| 823.92 | Open fracture of unspecified part of fibula with tibia |
| 824.0 | Fracture of medial malleolus, closed |
| 824.3 | Fracture of lateral malleolus, open |
| 824.4 | Bimalleolar fracture, closed |
| 824.5 | Bimalleolar fracture, open |
| 824.6 | Trimalleolar fracture, closed |
| 824.7 | Trimalleolar fracture, open |
| 824.8 | Unspecified fracture of ankle, closed |
| 824.9 | Unspecified fracture of ankle, open |
| 825.0 | Fracture of calcaneus, closed |
| 825.1 | Fracture of calcaneus, open |
| 825.20 | Closed fracture of unspecified bone(s) of foot [except toes] |
| 825.21 | Closed fracture of astragalus |
| 825.22 | Closed fracture of navicular [scaphoid], foot |
| 825.23 | Closed fracture of cuboid |
| 825.24 | Closed fracture of cuneiform, foot |
| 825.25 | Closed fracture of metatarsal bone(s) |
| 825.29 | Other closed fracture of tarsal and metatarsal bones |
| 825.31 | Open fracture of astragalus |
| 825.32 | Open fracture of navicular [scaphoid], foot |
| 825.33 | Open fracture of cuboid |
| 825.34 | Open fracture of cuneiform, foot |
| 825.35 | Open fracture of metatarsal bone(s) |
| 825.39 | Other open fracture of tarsal and metatarsal bones |
| 826.0 | Closed fracture of one or more phalanges of foot |
| 826.1 | Open fracture of one or more phalanges of foot |
| 837.0 | Closed dislocation of ankle |
| 837.1 | Open dislocation of ankle |
| 838.02 | Closed dislocation of midtarsal (joint) |
| 838.05 | Closed dislocation of metatarsophalangeal (joint) |
| 838.15 | Open dislocation of metatarsophalangeal (joint) |
| 838.16 | Open dislocation of interphalangeal (joint), foot |
| 905.4 | Late effect of fracture of lower extremities |
| 906.4 | Late effect of crushing |
| 928.20 | Crushing injury of foot |
| 928.21 | Crushing injury of ankle |
| 928.3 | Crushing injury of toes |

Hospital Inpatient Diagnosis Related Group (MS-DRGs) and ICD-9-CM Procedure Codes

Diagnosis Related Groups (MS-DRGs) is the prospective payment system Medicare uses to reimburse hospitals for inpatient services. Each inpatient stay is assigned to a specific group based on clinical and resource similarities for its ICD-9-CM diagnosis and procedure codes. Only one DRG is assigned to each inpatient case, regardless of the number of diagnosis and procedure codes. With CC and with MCC refers to secondary diagnoses that are designated as complications/comorbidities (CC) or major complications/comorbidities (MCC). Each DRG has a relative weight which is then converted to a flat payment amount using standard operating and capital amounts.

For Medicare, with a few exceptions, the MS-DRG payment for the procedure is considered complete and payment for implants is included in the MS-DRG payment. However, private payers may have carve-outs for implants.

| DRG | DRG Title | Relative Weight | Medicare National Unadjusted Payment | ICD-9-CM Procedure Codes and Descriptions |
|-----|--|-----------------|--------------------------------------|--|
| 492 | Lower Extremity and Humerus Procedures Except Hip, Foot, Femur with MCC | 3.1831 | \$18,048 | 79.26 79.36 81.11 81.12 |
| 493 | Lower Extremity and Humerus Procedures Except Hip, Foot, Femur with CC | 1.9971 | \$11,583 | |
| 494 | Lower Extremity and Humerus Procedures without CC/MCC | 1.5073 | \$8,742 | |
| 495 | Local Excision and Removal Internal Fixation Devices Except Hip and Femur with MCC | 2.9110 | \$16,882 | 81.13 81.14 81.15 81.16 81.29 ~with~ 77.79" |
| 496 | Local Excision and Removal Internal Fixation Devices Except Hip and Femur with CC | 1.7290 | \$10,027 | |
| 497 | Local Excision and Removal Internal Fixation Devices Except Hip and Femur without CC/MCC | 1.1731 | \$6,803 | |
| 503 | Foot Procedures with CC | 2.2584 | \$13,097 | 77.28 77.38 77.51 77.56 77.57 77.58 77.59 78.08 78.18 78.28 78.38 78.48 78.58 78.59 79.27 79.37 79.38 79.88 |
| 504 | Foot Procedures with CC | 1.6133 | \$9,356 | 81.13 81.14 81.15 81.16 |
| 505 | Foot Procedures without CC/MCC | 1.2072 | \$7,001 | |
| 515 | Other Musculoskeletal System and Connective Tissue OR Procedures with MCC | 3.3340 | \$19,335 | 77.29 77.39 79.29 79.39 81.29 |
| 516 | Other Musculoskeletal System and Connective Tissue OR Procedures with CC | 2.0160 | \$11,691 | |
| 517 | Other Musculoskeletal System and Connective Tissue OR Procedures without CC/MCC | 1.6777 | \$9,729 | |

Disclaimer

The coding and reimbursement information and data provided by Wright Medical Technology is presented for informational purposes only and is accurate as of its date of publication. It is the provider's responsibility to report the codes that accurately describe the products and services furnished to individual patients. Reimbursement is dynamic. Laws and regulations regarding reimbursement change frequently and providers are solely responsible for all decisions related to coding and billing including determining, if and under what circumstances, it is appropriate to seek reimbursement for products and services and obtaining pre-authorization, if necessary. For these reasons, providers are advised to contact Medicare and/or specific payers if they have any questions regarding billing, coverage and payment. Likewise, providers should contact a medical specialty society or the AMA for coding clarification. Providers should check the complete and current HCPCS and/or CPT manual to see and consider all possible HCPCS and/or CPT codes. Wright Medical Technology makes no representation or warranty regarding this information or its completeness or accuracy and will bear no responsibility for the results or consequences of the use of this information.



Wright Medical Technology, Inc.

1023 Cherry Road
Memphis, TN 38117
800 238 7117
901 867 9971
www.wmt.com